

## CHLORINE DIOXIDE GENERATED IN SITU

Operator generated in situ chemical, United Kingdom

Registration No: 4679      Version No: 5      Expiry Date: 30/03/2014

<i>Application Process System</i>	<i>Dose Rate</i>	<i>Worst Aquatic Toxicity Test</i>	<i>Number of Aquatic Toxicity Tests</i>	<i>OCNS Group</i>	<i>100% PLONOR</i>
<i>CHARM is not applicable to this process system</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>E</i>	<i>No</i>

<i>Application</i>	<i>Surfactant Type</i>	<i>Drilling Mud Density kg/m3</i>	<i>Sediment Reworker</i>	<i>Biodegradation Value/ %</i>	<i>Time/Days</i>	<i>Protocol</i>	<i>Minimum Log Po/w</i>	<i>Koc</i>	<i>Koc Protocol</i>	<i>Organic C Content</i>
<i>CHARM N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>	<i>N/A</i>